

Pachyderm Cream

Itraconazole, Ofloxacin, Ornidazole and Clobetasol Propionate.

Combination

Itraconazole 1% w/w

Ofloxacin 0.75 w/w

Ornidazole 2.0% w/w

Clobetasol Propionate 0.05% w/w.

What are Itraconazole, Ofloxacin Ornidazole & Clobetasol?

Pachyderm Cream contains Ofloxacin Ornidazole Itraconazole & Clobetasol Propionate as active ingredients.

Pachyderm Cream is a medicine that is used for the treatment of Fungal Infections, Skin Infections, Bacterial Infections, Redness, Itching, Dryness And Swelling Of Scalp, Dryness And Swelling Of Skin, Psoriasis and other conditions.

Pachyderm Cream works by stopping the growth of fungi; decreasing the immune responses; killing the infection causing bacteria; inhibiting the growth of microorganism;

Pachyderm Cream Uses

Pachyderm Cream is used for the treatment, control, prevention, & improvement of the following diseases, conditions and symptoms:

Fungal Infections

Skin Infections

Bacterial Infections

Redness, Itching, Dryness And Swelling Of Scalp

Redness, Itching, Dryness And Swelling Of Skin

Psoriasis

Urinary Tract Infections

Respiratory Infections

Soft Tissue Infections

Sexually Transmitted Infections

Eye and Ear Infection

Protozoan Infections

Infections during Surgical Procedures

Pachyderm Cream Working, Mechanism of Action and Pharmacology

Itraconazole, Ofloxacin, Ornidazole & Clobetasol Cream improves the patient's condition by performing the following functions:

- Stopping the growth of fungi.
- Decreasing the immune responses.
- Killing the infection causing bacteria.
- Inhibiting the growth of microorganism.

Side-effects

The following is a list of possible side effects that may occur from all constituting ingredients of Itraconazole, Ofloxacin, Ornidazole & Clobetasol Cream. This is not a comprehensive list. These side effects are possible, but do not always occur. Some of the side effects may be rare but serious. Consult your doctor if you observe any of the following side effects, especially if they do not go away.

- Red Skin
- Indigestion
- Rash
- Itchy Skin
- Loss Of Appetite
- Feeling Of Fullness

Precautions & How to Use

Before using this drug, inform your doctor about your current list of medications, over the counter products (e.g. vitamins, herbal supplements, etc.), allergies, pre-existing diseases, and current health conditions (e.g. pregnancy, upcoming surgery, etc.). Some health conditions may make you more susceptible to the side effects of the drug. Take as directed by your doctor or follow the direction printed on the product insert. Dosage is based on your condition. Tell your doctor if your condition persists or worsens. Important counseling points are listed below.

Avoid consuming milk and dairy products

Avoid contact with the eyes

Clean the skin before a fresh dressing

Consult the doctor in case of pregnancy or breastfeeding

Consult your doctor before taking this medicine if having epilepsy and multiple sclerosis

Do not consume if you have any disease condition like epilepsy or kidney problems

Risk Warnings

Anorexia, nausea, abdominal pain, taste disturbances, diarrhoea, rash, urticaria. Potentially Fatal: Liver failure, Stevens-Johnson syndrome, neutropaenia.

Indication

Mixed Skin Infection

Pachyderm Cream - Composition and Active Ingredients

Itraconazole, Ofloxacin, Ornidazole & Clobetasol Cream is composed of the following active ingredients (salts)

Itraconazole (1%W/W)

Clobetasol (0.05%W/W)

Ofloxacin (0.75%W/W)

Ornidazole (2%W/W)

Pachyderm Cream

Dosage-

Coin size cream 2-3 times in a day or depends upon the size of infection.